

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/586,130	06/02/2000	Raman Viswanathan	584-23196-US	6331	
24923	7590 09/12/2002				
PAUL S MADAN			EXAMINER		
2603 AUGUS	SSMAN & SRIRAM, PC TA, SUITE 700		DANG, H	DANG, HUNG Q	
HOUSTON, T	X 77057-1130		ART UNIT	PAPER NUMBER	
			2635		
			DATE MAILED: 09/12/2002		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	(X
Office Action Summary				Ψ
		09/586,130	VISWANATHAN, RAMAN	-
	omeen calling	Examiner	Art Unit	
	- The MAILING DATE of this communication a	Hung Q Dang	2635	-
Period fo			viai ale concepciación acarece	
THE N - Exten after S - If the - If NO - Failur - Any re	DRTENED STATUTORY PERIOD FOR REIMAILING DATE OF THIS COMMUNICATION sions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a period for reply is specified above, the maximum statutory perion to reply within the set or extended period for reply will, by state of the period by the Office later than three months after the median displayment. See 37 CFR 1.704(b).	N. R. 1.136(a). In no event, however, may a reply within the statutory minimum of thiod will apply and will expire SIX (6) MC atute, cause the application to become a	a reply be timely filed irty (30) days will be considered timely. INTHS from the mailing date of this communicat ABANDONED (35 U.S.C. § 133).	tion.
1)	Responsive to communication(s) filed on 0	02 June 2000		
2a)□		This action is non-final.		
3)	Since this application is in condition for allo closed in accordance with the practice und	owance except for formal m		s is
Disposition	on of Claims	•		
	Claim(s) 1-14 is/are pending in the applicat			
4	a) Of the above claim(s) is/are withd	drawn from consideration.		
5)	Claim(s) is/are allowed.			
6)⊠	Claim(s) <u>1,2,4-10,12 and 13</u> is/are rejected.			
	Claim(s) 3,11 and 14 is/are objected to.			
	Claim(s) are subject to restriction and	d/or election requirement.		
	on Papers The appointment is abjected to but the Every	inna		
\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	The specification is objected to by the Exami		I. b. the Property of	
10)[2]	the drawing(s) filed on 14 May 2002 is/are:	· · · · · ·		
11)[]] Т	Applicant may not request that any objection to he proposed drawing correction filed on		, ,	
11/	If approved, corrected drawings are required in		disapproved by the Examiner.	
12)∏ T	The oath or declaration is objected to by the			
•	nder 35 U.S.C. §§ 119 and 120			
-	Acknowledgment is made of a claim for fore	eian priority under 35 U.S.C.	& 119(a)-(d) or (f)	
_	☐ All b)☐ Some * c)☐ None of:	and and an energy	3	
•	1.☐ Certified copies of the priority docume	ents have been received.		
	2.☐ Certified copies of the priority docume		Application No.	
	3. Copies of the certified copies of the p application from the International	riority documents have bee Bureau (PCT Rule 17.2(a))	n received in this National Stage	
_	ee the attached detailed Office action for a l	•		
	cknowledgment is made of a claim for dome	•		ation).
_	The translation of the foreign language cknowledgment is made of a claim for dome			
Attachment	` '	_		
2) 🔲 Notice	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s	5) Notice o	v Summary (PTO-413) Paper No(s) f Informal Patent Application (PTO-152)	_·
Dotont and To	Idemark Office			

DETAILED ACTION

Drawings

- 1. The drawings are objected to because blocks 416, 418, 420, 422 and 424 of Figure 4 lack of descriptive labels. A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.
- 2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "seven twisted pairs of insulated conductors within the insulation sheath" as claimed in claim 6 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Specification

3. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). To be specific, the specification does not contain the claimed subject matter regarding "the cable has **seven twisted pairs of insulated conductors** within the insulation sheath", as claimed in claim 6. Correction is required.

Art Unit: 2635

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1, 4, 7, 9, and 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matthews U.S. Patent 5,148,408 in view of Bowers U.S. Patent 3,259,675.

Regarding claims 1, 7 and 12, Matthews teaches a well logging system comprising:

- A downhole well data sensor (Figure 1, sensors included in unit 24);
- A downhole data transmitter (Figure 1, unit 26);
- A surface data receiver (Figure 1, unit 28); and
- A data transmission cable (Figure 1, unit 16) linking the transmitter and the receiver.

However, Matthews does not specifically teach said transmission cable having at least one pair of insulated conductors wound in a substantially helical twist, an insulation sheath surrounding the twisted pair of conductors and a tensile load carrier surrounding the insulation sheath, the load carrier comprising a sheath of tensile load carrying filaments.

Bowers teaches a cable for specific use with well logging system (Column 1, lines 15-18). Said cable has at least one pair of insulated conductors (Figure 1, any two

Page 2

Art Unit: 2635

Page 3

conductors out of conductors 17, 18, 19 and 20 would form a pair of conductors) wound in a substantially helical twist, an insulation sheath (Figure 2, unit 19 and paragraph bridging columns 4 and 5) surrounding the twisted pair of conductors and a tensile load carrier (Figure 1, units 10 and 12) surrounding the insulation sheath, the load carrier comprising a sheath of tensile load carrying filaments being distributed about a perimeter of the load-carrying sheath in radial layers (also regarding claims 4 and 9) (Figure 2, units 11 and 13).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a transmission cable having at least one pair of insulated conductors wound in a substantially helical twist, an insulation sheath surrounding the twisted pair of conductors and a tensile load carrier surrounding the insulation sheath, the load carrier comprising a sheath of tensile load carrying filaments, to the well logging system disclosed by Matthews, as evidenced by Bowers, in order to provide sufficient strength and transmission bandwidth to said data transmission cable.

Regarding claim 10, the well logging system taught by Matthews also includes pressure sensor and temperature sensor (column 3, lines 44-48). Even though, Matthews does not specifically mention about flow sensor, however, one of ordinary skill in the art would recognize that flow sensor has been commonly used in well logging systems. Therefore, by conventionality, it would have been obvious to provide a flow sensor to the well logging system disclosed by Matthews in view of Bowers.

Regarding claim 11, even though Matthews in view of Bowers does not specifically suggest a data cable having an effective capacitance between the twisted

Art Unit: 2635

Page 4

pair of conductors of less than 30 pF per foot of cable length, however, one skilled practitioner in the art would recognize that such a design can be simply achieved through design experiment in order to determine the parameters that would achieve optimal results.

6. Claims 2, 5, and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matthews U.S. Patent 5,148,408 in view of Bowers U.S. Patent 3,259,675 and in further view of Belaigues et al. U.S. Patent 4,355,310.

Regarding claims 2 and 13, as already mentioned above, Matthews in view of Bowers teaches a well logging system as claimed in claim 2. However, Matthews in view of Bowers does not teach or disclose a modem being complimentarily included to the transmitter and the receiver.

Belaigues et al., in the same field of endeavor, teaches a well logging system wherein the transmitter (Figure 1, unit 34) and the receiver (Figure 1, unit 24) each includes a signal modem (Figure 1, units 22 and 30) complimentary to each other, for transmitting data up and down the surface of the well.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a modem to the transmitter and the receiver of the well logging system disclosed by Matthews in view of Bowers, as evidenced by Belaigues et al., in order to transmit data up and down the borehole, as described above.

Art Unit: 2635

Page 5

Regarding claim 5, the transmission cable taught by Bowers also includes filaments in outer radial layers of the sheath that are greater in size than those of interior layers (Figure 2, filaments in layer 10 are greater in size than filaments in layer 12).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide filaments in outer radial layers of the sheath that are greater in size than those of interior layers, to the transmission cable disclosed by Matthews, as evidenced by Bowers, in order to achieve a strong tensile load sheath for the transmission cable as disclosed by Matthews in view of Bowers.

7. Claims 6 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matthews U.S. Patent 5,148,408 in view of Bowers U.S. Patent 3,259,675 and further in view of Lawrenson U.S. Patent 3,678,177.

Regarding claim 8, as already mentioned above, Matthews in view of Bowers teaches a data cable as claimed in claim 8. However, Matthews in view of Bowers does not specifically teach said cable comprising at least six twisted pairs of conductors disposed around a center conductor, all conductors being within the insulation sheath.

Lawrenson, in the same field of endeavor, teaches a data cable, which comprises at least six twisted pairs of conductors disposed around a center conductor, all conductors being within the insulation sheath (Figures 5-8 and column 2 lines 53-73).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a data cable having at least six twisted pairs of conductors disposed around a center conductor, all conductors being within the insulation sheath, to the well logging system disclosed by Matthews in view of Bowers,

Art Unit: 2635

Page 6

as evidenced by Lawrenson, in order to achieve a desire strength and transmission bandwidth of said data cable.

Regarding claim 6, the data cable taught by Lawrenson also has seven twisted pairs of insulated conductors within the insulation sheath (Figure 8 and column 2 lines 53-73). Therefore, claim 6 is rejected similarly as claim 8.

8. Claims 3 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matthews U.S. Patent 5,148,408 in view of Bowers U.S. Patent 3,259,675 and in further view of Belaigues et al. U.S. Patent 4,355,310 and Doyle et al. U.S. Patent 5,504,479.

As mentioned above, Matthews in view of Bowers and Belaigues et al. teaches a well logging system as claimed in claim 3. However, Matthews in view of Bowers and Belaigues et al. does not suggest utilizing data encoding and decoding methods selected from the group consisting of QAM, CAP and DMT.

Doyle et al., in the same field of endeavor, teaches a CAP (carrierless amplitude and phase) modulation telemetry for use in a well logging system in order to encode/decode transmitting data in said well logging system (column 2, lines 42-65).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a CAP encoding/decoding method to the well logging system disclosed by Matthews in view of Bowers and Belaigues et al., as evidenced by Doyle et al., in order to encode/decode data for transmission in said well logging system.

Art Unit: 2635

Conclusion

9) The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

a) Rafie et al. U.S. Patent 5,495,547 discloses a combination fiberoptic/electrical conductor well logging cable.

b) Doyle et al. U.S. Patent 5,504,479 discloses a carrierless amplitude and phase modulation telemetry for use in electric wireline well logging.

10) Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung Dang whose telephone number is 703-305-4704. The examiner can normally be reached on Monday through Friday from 8:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik, can be reached on (703) 305-4704. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9314.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Hung Dang 9/9/2002 H.D.

AH

MICHAEL HORABIK SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Mothed That